

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	4	(("5612854") or ("6172891")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/10 11:49
S2	803	307/147.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/27 10:38
S3	407	power adj distribution adj board	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/27 10:39
S4	16	S3 same pin	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/27 10:38
S5	93	S3 and pin	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/27 10:38
S6	10291	(power and distribution).ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/27 10:40
S7	166	S6 and S3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/27 10:40
S8	14	S7 and pin	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/27 10:52

EAST Search History

S9	153	(power adj distribution adj board).ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/27 10:52
S10	218387	(printed adj circuit adj board)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/27 14:53
S12	407	power adj distribution adj board	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/27 14:24
S13	49	S10 and S12	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/27 12:29
S14	17	S13 and (ac and dc)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/27 12:29
S15	16	S14 and (pin connector)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/27 13:28
S16	803	307/147.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/27 13:28
S17	26	("3993935" "4079440" "4245270" "4454552" "4510553" "5077675" "5210855" "5272584").PN. OR ("5384492"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/27 14:24

EAST Search History

S18	134	S12 and connector	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/27 14:25
S19	6	S18 and ((conductor conducting conductive) same layer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/11 11:21
S20	591868	((conductor conducting conductive) same layer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/27 14:27
S21	6910	S10 and (ac same dc)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/27 14:29
S22	3308	S21 and connector	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/27 14:29
S23	1531	S22 and layer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/27 14:29
S24	972	S23 and pin	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/27 14:47
S25	114791	"439"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/27 14:47

EAST Search History

S26	8843	S25 and ((conductor conducting conductive) same layer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/27 14:47
S27	100	S26 and (ac same dc)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/27 14:48
S28	56	S27 and pin	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/27 14:48
S29	16574	S25 and (printed adj circuit adj board)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/27 14:53
S30	0	("2005/0012402").URPN.	USPAT	OR	OFF	2006/01/09 18:30
S31	803	307/147.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/09 18:30
S32	48	S31 and ac and dc	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/09 18:30
S33	803	307/147.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 09:12
S34	40	S33 and ac same dc	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 10:30

EAST Search History

S35	112	439/679.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 09:33
S36	1	S35 and ac same dc	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 09:39
S37	1	S35 and ac and dc	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 09:41
S38	8060	ac same dc same (pin connector)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 09:42
S39	6803	S38 and power	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 09:53
S40	25	jensen-ralph\$.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 09:51
S41	406	S39 and ((conductive conductor) near3 (layer))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 09:54
S42	293	S41 and (ground neutral)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 10:28

EAST Search History

S43	795	439/680.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 10:28
S44	14	S43 and ac same dc	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 10:30
S45	219	439/218.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/10 12:07
S46	114	439/222.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/10 12:12
S47	3144	ac same dc same power same board	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 12:13
S48	1853	S47 and (pin connector)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 12:13
S49	1002	S48 and (neutral ground)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 12:21
S50	320	S49 and (layer layered layers)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 12:21
S51	1	("2002/0137382").URPN.	USPAT	OR	OFF	2006/01/10 14:23
S52	1	("2002/0137382").URPN.	USPAT	OR	OFF	2006/01/10 14:23

EAST Search History

S53	277222	conductive near4 layer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 14:47
S54	9173	S53 and power same (connector pin)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 14:45
S55	3537	S54 and computer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 14:45
S56	1566	S55 and (ac dc)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 14:47
S57	965	S56 and board	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 15:34
S58	408	power adj distribution adj board	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 15:38
S59	68	S58 and (layered layers layer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 15:47
S60	54	S59 and (pin connector)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 15:39

EAST Search History

S61	23	S60 and (ac and dc)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 15:47
S62	2490	(conductor conductive) same (layered layers layer) and power and pin and (ac same dc)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 17:38
S63	342	361/788.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 17:48
S64	12	S63 and ac same dc	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 17:48
S65	874	361/777.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 17:50
S66	8	S65 and ac same dc	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 17:52
S67	162	361/791.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 17:52
S68	2	S67 and ac same dc	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 17:51

EAST Search History

S69	366	361/794.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 17:53
S70	18	S69 and ac same dc	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 17:53
S71	158	361/43.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 17:54
S72	9	S71 and ac same dc	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 17:54
S73	3447	174/261-262.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 17:56
S74	31	S73 and ac same dc	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 17:56
S75	1752	174/255.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 17:56
S76	31	S74 and ac same dc	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 17:57

EAST Search History

S77	21	S75 and ac same dc	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 17:58
S78	571	361/600.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 18:00
S79	25	S78 and ac same dc	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 18:00
S80	8	S79 and pin	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 17:59
S81	942	361/679.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 18:01
S82	42	S81 and ac same dc	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 18:01
S83	536	361/822-823.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 18:02
S84	6	S83 and ac same dc	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 18:03

EAST Search History

S85	371	361/627.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 18:02
S86	5	S85 and ac same dc	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 18:04
S87	329	439/101.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 18:05
S88	8	S87 and ac same dc	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 18:05
S89	112	439/679.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 18:05
S90	1	S89 and ac same dc	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 18:06
S91	1884	patch adj panel\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 18:06
S92	120	S91 and ac and dc	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 18:06

EAST Search History

S93	83	S92 and (pin connector)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 18:13
S94	210216	"110" and "220" and "48"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 18:16
S95	14	S74 and (pin connector)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 18:17
S96	11	S95 and power	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 18:14
S97	97861	S94 and power	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 18:16
S98	51247	S97 and (pin connector)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 18:23
S99	8676	ac same dc and (conductive with layer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 18:24
S100	3150	S99 and (pin connector)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 18:25

EAST Search History

S10 1	2783	S100 and power	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 18:26
S10 2	912	S99 and (pin and connector)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 18:25
S10 3	849	S102 and power	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 18:27
S10 4	849	S103 and (layer layered layers)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 18:27
S10 5	4	("4131805" "4608498" "4890217" "5334045").PN. OR ("5777396"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/10 18:47
S10 6	408	power adj distribution adj board	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/11 11:20
S10 7	495148	((conductor conducting conductive) with layer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/11 11:49
S10 8	45247	S107 and pin	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/11 11:21
S10 9	3674	S108 and ((AC DC) with power)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/11 11:22

EAST Search History

S11 0	1625	S109 and (board (patch adj panel))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/11 11:23
S11 1	908	S110 and computer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/11 11:30
S11 2	484	S111 and power with (distribute distribution connect connector)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/11 11:47
S11 3	439	439/679.ccls. 439/218.ccls. 439/222.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/11 11:49
S11 4	4	S107 and S113	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/11 11:49
S11 5	4	("4131805" "4608498" "4890217" "5334045").PN. OR ("5777396"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/11 14:22
S11 6	252	telephone with line with voltage with "48"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/11 17:24
S11 7	549	telephone with line with voltage with "12"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/11 17:24
S11 8	3824	Conductive with layer with pin	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/15 15:14

EAST Search History

S11 9	1712	S118 and power	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/15 15:14
S12 0	220	S119 and (((Alternating adj current) and (direct adj current)) or (AC and DC))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/15 15:15
S12 1	0	("2005/0012402").URPN.	USPAT	OR	OFF	2006/06/15 15:16
S12 2	12	("3519959").URPN.	USPAT	OR	OFF	2006/06/15 15:45
S12 3	2	"20020044642".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/16 11:54
S12 5	508	telephone same "48" with volts with (line conductor wire)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/16 11:55
S12 6	328	telephone same "48" with volts with (line conductor wire)	USPAT	OR	ON	2006/06/16 11:56
S12 7	15	telephone same "48" with volts with (line conductor wire) with standard	USPAT	OR	ON	2006/06/16 11:56
S12 8	2	("6819761").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/16 13:57